THE HAMILTON WATCH

The Railroad Time Keeper of America

MATERIALS

HAMILTON WATCH COMPANY
LANCASTER, PA., U.S.A.

The Home of the Famous

Hamilton Watches



The most perfectly equipped, the most beautifully located, and operated by the best skilled workmen in the world.

THE RESULT

We Guarantee *every movement that we make in every* Part and Particular. *We do not permit any watch to leave our factory until it is proven by the most scientific and the most exhaustive tests to be a*

Perfectly Accurate Timekeeper.

Hamilton Watch Co.
Lancaster, Pa., U.S.A.

January 1st, 1909.

Hamilton Watch Company

Lancaster, Pa., U. S. A.

Established for the purpose of manufacturing not the greatest number of watch movements, but the very best that could possibly be made. Realizing that there was only room at the top, we strove for that place and have attained it and propose to hold it as long as HAMILTON WATCHES are made.

The many thousands who are carrying our watches will testify to the fact that we absolutely and positively make the best watches that are made in America.

THREE CARDINAL VIRTUES:

1st.—We make only the finest grade of watch movements.

2d.—We were the inceptors of the plan to positively maintain the prices that would give the Jeweler a reasonable profit, and unless he will maintain these prices, we positively refuse to allow him to handle our goods.

3d.—We will not allow our watches to be sold to dealers who are not regular legitimate Jewelers, thereby keeping our movements out of the Department Stores, Pawnbrokers and other illegitimate channels.

This plan will be maintained so long as HAMILTON WATCHES are manufactured.

THE No. 960

HAMILTON WATCH

UNQUESTIONABLY THE HANDSOMEST 16 SIZE WATCH IN THE MARKET

AND IS A PHENOMENALLY ACCURATE TIMEKEEPER

PENDANT OR LEVER SET

No. 960—Open Face, Nickel, Bridge Movement, Pendant Set, or Lever, 21 Extra Fine Ruby Jewels in **Gold Settings, Escapement Cap Jeweled, Steel Escape Wheel, Double Roller Escapement,** Poised Fork and **Sapphire Pallets,** Breguet Hairspring, Compensation Balance, Double Sunk Dial, Adjusted to Temperature, Isochronism and Five Positions.....**$50.00**

No. 961—Same in every particular, except for Hunting Case..... **50.00**

No. 964—Open Face Nickel, Bridge Movement, Pendant Set, 17 Extra Fine Ruby Jewels, in **Gold Settings, Steel Escape Wheel, Sapphire Pallets,** Micrometric Regulator, Breguet Hairspring, Compensation Balance, Adjusted to Temperature, Isochronism and Five Positions.....**$34.00**

No. 965—Same in every particular, except for Hunting Case..... **34.00**

No. 968—Open Face, Nickel, ¾-Plate Movement, Pendant Set, 17 Extra Fine Ruby Jewels in **Gold Settings, Steel Escape Wheel,** Micrometric Regulator, Breguet Hairspring, Compensation Balance Adjusted to Temperature, Isochronism and Five Positions.....**$28.00**

No. 969—Same in every particular, except for Hunting Case..... **28.00**

No. 970—Open Face, Nickel, ¾-Plate Movement, Pendant Set, 21 Extra Fine Ruby Jewels in **Gold Settings, Steel Escape Wheel, Double Roller Escapement,** Poised Fork and **Sapphire Pallets,** Micrometric Regulator, Breguet Hairspring, Compensation Balance, Double Sunk Dial, Accurately Adjusted to Temperature, Isochronism and Five Positions.....**$34.00**

No. 971—Same in every particular, except for Hunting Case..... **34.00**

12 AND 0 SIZE WATCHES, FOR DELIVERY IN 1909. THEY LIKE ALL HAMILTONS WILL BE PERFECT TIMEKEEPERS.

THE WORLD FAMED

THE RAILROAD TIMEKEEPER OF AMERICA

The 940 HAMILTON WATCH

IN CONSTANT USE BY MANY THOUSAND RAILROAD MEN OF THE UNITED STATES

No. 940—Open Face, 21 Extra Fine Ruby Jewels, Nickel, Adjusted to Temperature, Isochronism, and Five Positions, **Steel Escape Wheel**, Breguet Hairspring, Patent Micrometric Regulator, Double Roller Escapement, Double Sunk Dial, Gilt Lettering, Beautifully and Elegantly Damaskeened.....$28.00

No. 941—Same in every particular, except for Hunting Case..... 28.00

The **No. 940 "Hamilton Watch"** has the **Most** Phenomenally **Accurate Timekeeping Records; is More Extensively Used**, and in far **Greater Numbers**, on **All** the **Main Railroad Lines in the United States of America**, than any other watch, and will meet all the **Exacting Official Requirements** of **Railroad Service**, under the extraordinarily trying conditions to which **Railroad Service** subjects a **Watch.**

ASK ANY OF THE THOUSANDS WHO CARRY THEM

THE 992 16 SIZE LEVER SET

HAMILTON WATCH

FOR RAILROAD USE

No. 992—Open Face, Nickel, ¾-Plate Movement, Lever Set, 21 Fine Ruby Jewels in Settings, **Steel Escape Wheel,** Double Roller Escapement, Micrometric Regulator, Breguet Hairspring, Double Sunk Dial, Compensation Balance, Adjusted to Temperature, Isochronism and Five Positions..$30.00

No. 993—Same in every particular, except for Hunting Case..... 30.00

No. 990—Open Face, Nickel, ¾-Plate Movement, Lever Set, 21 Extra Fine Ruby Jewels in **Gold Settings, Steel Escape Wheel, Double Roller Escapement,** Poised Fork and **Sapphire Pallets,** Micrometric Regulator, Breguet Hairspring, Compensation Balance, Double Sunk Dial, Accurately Adjusted to Temperature, Isochronism and Five Positions.....$34.00

No. 991—Same in every particular, except for Hunting Case..... 34.00

No. 972—Open Face, Nickel, ¾-Plate Movement, Pendant or Lever Set, 17 Extra Fine Jewels in Settings, **Steel Escape Wheel,** Micrometric Regulator, Breguet Hairspring, Compensation Balance, Adjusted to Temperature, Isochronism and Five Positions.....$24.00

No. 973—Same in every particular, except for Hunting Case..... 24.00

No. 974—Open Face, Nickel, ¾-Plate Movement, Pendant or Lever Set, 17 fine Jewels in settings, Micrometric Regulator, Breguet Hairspring, Compensation Balance, Adjusted to Temperature, Thoroughly well finished.....$15.00

No. 975—Same in every particular, except for Hunting Case..... 15.00

HAMILTON WATCHES ARE BEYOND QUESTION THE MOST ACCURATE, MOST DURABLE TIMEKEEPERS THAT SCIENCE AND CAPITAL EVER PRODUCED

CUTS OF ANY OF OUR MOVEMENTS UPON REQUEST

No. 946—Open Face, Nickel, 23 Extra Fine Ruby Jewels, in **Gold Settings, Patent Motor Barrel, Double Roller Escapement, Steel Escape Wheel, Sapphire Pallets,** Patent Micrometric Regulator, Breguet Hairspring, Double Sunk Dial, Beautifully Finished Nickel Plates, Gilt Lettering, Steel parts Champferred, Adjusted to Temperature, Isochronism, and Five Positions.....**$40.00**

No. 942—Open Face, 21 Extra Fine Ruby Jewels in **Gold Settings,** Nickel, **Double Roller Escapement, Steel Escape Wheel, Sapphire Pallets,** Patent Micrometric Regulator, Breguet Hairspring, Double Sunk Dial, Beautifully Finished Nickel Plates, Gilt Lettering, Steel parts Champferred, Adjusted to Temperature, Isochronism, and Five Positions **$37.50**

No. 943—Same in every particular, except for Hunting Case..... **37.50**

No. 938—Open Face, 17 Extra Fine Ruby Jewels in **Gold Settings,** Nickel, **Double Roller Escapement, Steel Escape Wheel, Sapphire Pallets,** Patent Micrometric Regulator, Breguet Hairspring, Double Sunk Dial, Beautifully Finished Nickel Plates, Gilt Lettering, Steel parts Champferred, Adjusted to Temperature, Isochronism and Five Positions.....**$34.00**

No. 939—Same in every particular, except for Hunting Case..... **34.00**

No. 944—Open Face, Nickel, **Patent Motor Barrel,** 19 Fine Ruby Jewels, Adjusted to Temperature, Isochronism, and Five Positions, **Steel Escape Wheel,** Double Roller Escapement, Breguet Hairspring, Patent Micrometric Regulator, Double Sunk Dial, Beautifully and Elegantly Damaskeened.....**$28.00**

No. 936—Open Face, 17 Jewels, Nickel, Adjusted to Temperature, Isochronism, and Five Positions, **Steel Escape Wheel,** Double Roller Escapement, Breguet Hairspring, Patent Regulator, Double Sunk Dial, Beautifully Damaskeened.....**$24.00**

No. 937—Same in every particular, except for Hunting Case..... **24.00**

No. 934—Open Face, 17 Jewels, Nickel, Adjusted to Temperature, Breguet Hairspring, Patent Regulator, Double Sunk Dial.....**$17.00**

No. 935—Same in every particular, except for Hunting Case..... **17.00**

No. 926—Open Face, 17 Jewels, Nickel, Adjusted to Temperature, Patent Regulator, Breguet Hairspring, Single Sunk Dial **$14.00**

No. 927—Same in every particular, except for Hunting Case..... **14.00**

No. 924—Open Face, 17 Jewels, Nickel, Breguet Hairspring, Patent Regulator.....**$12.25**

No. 925—Same in every particular, except for Hunting Case..... **12.25**

FROM THE BUYING OF THE MATERIALS TO THE PACKING OF OUR WATCHES
WE PLAN THE VERY BEST TIMEKEEPING

Hamilton Watch Company's Materials.

18 SIZE, NICKEL, FULL PLATE. LEVER SETTING
OPEN FACE AND HUNTING

1

No. 946

2

No. 944

3

Nos. 942 and 943

4

Nos. 940 and 941

5

6

7

8

9

10

11 

13 

14

15

16

17

18

19

20

21

22

23

24

25

26

27

29

30

32

34

35

36

38

40

42

44

45

46

47

48

49

50

51

18 SIZE, NICKEL, FULL PLATE. LEVER SETTING

OPEN FACE AND HUNTING

No.		No. Leaves in Pinions	No. of Teeth in Wheels	Net Prices per Dozen			
				924 925 926 927 934 935	936 937 940 941	938 939 942 943	944 946
1	18 size, nickel, No. 946, Open Face, 23 jewels,	...	...	.....	.....	.....	.....
2	18 size, nickel, No. 944, Open Face, 19 jewels,	...	...	.....	.....	.....	.....
3	18 size, nickel, Nos. 942–943, O. F. and Htg., 21 jew.,	...	...	.....	.....	.....	.....
4	18 size, nickel, Nos. 940–941, O.F. and Htg., 21 jew.,	...	...	.....	.....	.....	.....
5	Barrel bridge, nickel, with jewel, Open Face for No. 946	...	...	.....	.....	.....	$27.00
6	Barrel bridge, nickel, with jewel, Open Face for No. 944	...	...	.....	.....	.....	22.00
7	Barrel bridge, nickel, O.F. and Htg., for Nos. 942–943,	...	...	.....	.....	$12.00	.....
8	Barrel bridge, nickel, O.F. and Htg., for Nos. 936–937,	...	...	.....	$ 9.60	.....	.....
9	Barrel bridge, nickel, O.F. and Htg., for Nos. 926–927,	...	...	$ 9.00	.....	.....	.....
10	Barrel bridge, nickel, O.F. and Htg., for Nos. 924–925,	...	...	9.00	.....	.....	.....
11	Balance cock, nickel, complete with jewels, O.F.,	...	...	13.25	13.50	16.00	16.00
12	Balance cock, nickel, complete with jewels for 944,	...	...	.....	.....	.....	13.50
13	Balance cock, nickel, complete with jewels, Htg.,	...	...	13.25	13.50	16.00	.....
14	Mainspring, suitable for 19 and 23 jewel,	...	...	.....	.....	.....	2.50
15	Mainspring, suitable for 17 and 21 jewel,	...	...	1.50	2.00	2.00	.....
16	Barrel,	...	78	3.00	4.00	4.00	.....
17	Barrel with arbor fitted,	...	78	6.00	8.00	8.00	.....
18	Barrel, motor, patent,	...	78	.....	.....	.....	6.00
19	Disc for motor barrel, patent,	...	...	.....	.....	.....	6.00
20	Barrel, motor, patent, with arbor and nut fitted,	...	78	.....	.....	.....	20.00
21	Barrel, motor, patent, complete, with arbor, nut, disc and ratchet wheel fitted,	..	78	.....	.....	.....	36.00
22	Barrel arbor,	...	...	3.00	4.00	4.00	.....
23	Barrel arbor, motor, patent,	...	...	.....	.....	.....	6.00
24	Hub for motor barrel, patent,	...	...	.....	.....	.....	6.00
25	Nut for motor barrel, patent,	...	...	.....	.....	.....	5.00
26	Winding pinion,	17	...	3.00	4.00	5.00	5.00
27	Yoke,	...	...	2.50	3.50	6.00	6.00
28	Yoke for No. 944,	...	...	.....	.....	.....	3.50
29	Winding hub,	...	...	1.50	1.75	2.00	2.00
30	Shipper,	...	..	1.50	1.50	4.00	4.00
31	Shipper for No. 944,	...	...	.....	.....	.....	1.50
32	Click, new style,	...	...	.75	.75	2.00	2.00
33	Click, new style for No. 944,	...	...	.....	.....	.....	.75
34	Click, old style,	...	...	.75	.75	2.00	.....
35	Ratchet wheel,	...	40	1.50	2.00	2.50	.....
36	Ratchet wheel, motor, patent,	...	40	.....	.....	.....	3.00
37	Rachet wheel, motor, patent for No. 944,	...	40	.....	.....	.....	2.50
38	Winding wheel,	...	36	1.50	2.00	2.50	2.50
39	Winding wheel for No. 944,	...	36	.....	.....	.....	2.00
40	Intermediate winding wheel,	...	25	1.00	1.50	2.00	2.00
41	Intermediate winding wheel for No. 944,	...	25	.....	.....	.....	1.50
42	Intermediate setting wheel,	...	18	1.00	1.50	2.00	2.00
43	Intermediate setting wheel for No. 944,	...	18	.....	.....	.....	1.50
44	Hour wheel,	...	40	1.00	1.50	1.50	1.50
45	Minute wheel,	10	33	1.00	1.50	1.50	1.50
46	Front winding bridge,	...	...	2.50	2.75	3.00	3.00
47	Back winding bridge,	...	...	2.50	2.75	3.00	3.00
48	Yoke spring,	...	...	.60	.60	.75	.75
49	Shipper spring,	...	...	.75	.75	1.00	1.00
50	Click spring, new style,	...	...	.60	.60	.75	.75
51	Click spring, old style,	...	...	.60	.60	.75	.75

NOTE.—WHEN ORDERING MATERIAL ALWAYS GIVE GRADE OF MOVEMENT AND CATALOGUE NUMBER OF PART WANTED.

Hamilton Watch Company's Materials.

18 SIZE, NICKEL, FULL PLATE. LEVER SETTING

OPEN FACE AND HUNTING

52

Nos. 938 and 939

53

Nos. 936 and 937

54

Nos. 934 and 935

55

Nos. 926 and 927

56

58

60

61

62

63

64

65

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

96

97

98

99

100

101

102

18 SIZE, NICKEL, FULL PLATE. LEVER SETTING

OPEN FACE AND HUNTING

No.		No. Leaves in Pinions	No. of Teeth in Wheels	Net Prices per Dozen			
				924 925 926 927 934 935	936 937 940 941	938 939 942 943	944 946
52	18 size, nickel, Nos. 938–939, O. F. and Htg., 17 jewels,	...	...	.....	.....	.....	.....
53	18 size, nickel, Nos. 936–937, O. F. and Htg., 17 jewels,	...	...	.....	.....	.....	.....
54	18 size, nickel, Nos. 934–935, O. F. and Htg., 17 jewels,	...	...	.....	.....	.....	.....
55	18 size, nickel, Nos. 926–927, O. F. and Htg., 17 jewels,	...	...	.....	.....	.....	.....
56	Balance, with gold screws,	...	...	.....	.....	$27.00	$27.00
57	Balance, with composition screws,	...	...	$12.00	$18.00	.....	18.00
58	Balance, with gold screws, and staff fitted,	...	...	.....	.....	32.00	32.00
59	Balance, with composition screws, and staff fitted,	...	...	16.00	23.00	.....	23.00
60	Regulator, Open Face, double roller,	...	...	.....	3.00	3.50	3.50
61	Regulator, Hunting, double roller,	...	...	.....	3.00	3.50	.....
62	Regulator, Open Face, single roller,	...	...	3.00	3.00	.....	.....
63	Regulator, Hunting, single roller,	...	...	3.00	3.00	.....	.....
64	Index	..	...	1.75	2.00	3.00	3.00
65	Regulator spring, patent,	...	...	2.50	3.00	3.50	3.50
66	Regulator spring, patent, for No. 944,	...	...	.....	.....	.....	3.00
67	Regulator screw, patent,	...	...	2.50	2.50	3.00	3.00
68	Regulator lever, patent,	...	...	2.75	2.75	3.00	3.00
69	Regulator nut, patent,	...	...	1.25	1.25	1.25	1.25
70	Regulator cap, steel,	...	...	.....	.....	2.50	2.50
71	Hair spring stud cap,	...	...	.75	1.50	1.50	1.50
72	Hair spring stud,	...	...	1.00	1.00	1.00	1.00
73	Hair spring,	...	...	1.00	1.00	1.00	1.00
74	Hair spring, colleted,	...	...	1.50	1.50	1.50	1.50
75	Hair spring, breguet, colleted and studded,	...	...	3.50	3.50	5.00	5.00
76	Hair spring collet,	...	...	.35	.50	.50	.50
77	Centre wheel, gilt,	...	80	1.50	2.50	2.50	2.50
78	Centre wheel, gilt, with centre staff fitted,	...	80	5.25	9.50	9.50	9.50
79	Centre wheel, gilt, with centre staff and centre pinion fitted,	12	80	9.25	13.50	13.50	13.50
80	Centre wheel, gilt, with centre staff, centre pinion and cannon pinion, complete,	$\frac{12}{11}$	80	11.75	17.00	17.00	17.00
81	Third wheel, gilt,	...	75	1.50	2.50	2.50	2.50
82	Third wheel, gilt, with third pinion fitted,	10	75	5.00	6.50	7.00	7.00
83	Fourth wheel, gilt,	...	80	1.50	2.50	2.50	2.50
84	Fourth wheel, gilt, with fourth pinion fitted,	10	80	5.00	6.50	7.00	7.00
85	Escape wheel, steel,	...	15	.....	6.50	6.50	6.50
86	Escape wheel, gilt,	...	15	2.50	.....	.....	.....
87	Escape wheel, steel, with escape pinion fitted, conical pivots,	8	15	.....	12.00	12.00	12.00
88	Escape wheel, steel, with escape pinion fitted, straight pivots,	8	15	.....	11.00	.....	.....
89	Escape wheel, gilt, with escape pinion fitted, straight pivots,	8	15	5.50	.....	.....	.....
90	Fork, double roller,	...	...	.....	4.50	5.50	5.50
91	Fork, single roller,	...	...	1.50	2.00	.....	.....
92	Pallet, with pallet jewels fitted,	...	...	7.00	10.50	10.50	10.50
93	Pallet and fork, with pallet jewels fitted,	...	...	8.50	15.00	16.00	16.00
94	Pallet, fork and arbor, complete, 21 and 23 Jew., D. R.,	...	...	.....	19.50	20.50	20.50
95	Pallet, fork and arbor, complete, 17 and 19 J., D. R.,	...	...	.....	.....	18.50	18.50
96	Pallet, fork and arbor, complete, 21 J., S. R.,	...	...	.....	18.50	.....	.....
97	Pallet, fork and arbor, complete, 17 J., S. R.,	...	...	10.00	13.50	.....	.....
98	Large double roller,	...	...	.....	3.50	3.50	3.50
99	Small double roller,	...	...	.....	2.00	2.00	2.00
100	Single roller,	...	...	1.50	1.50	.....	.....
101	Large double roller, with jewel pin fitted,	...	...	.....	6.00	6.00	6.00
102	Single roller, with jewel pin fitted,	...	...	2.50	2.50	.....	.....

NOTE.—WHEN ORDERING MATERIAL ALWAYS GIVE GRADE OF MOVEMENT AND CATALOGUE NUMBER OF PART WANTED.

Hamilton Watch Company's Materials.

18 SIZE, NICKEL, FULL PLATE. LEVER SETTING
OPEN FACE AND HUNTING

103

Nos. 924 and 925

104

105

106

107



108



109

110

111

112



113

114



115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

No.	18 SIZE, NICKEL, FULL PLATE. LEVER SETTING OPEN FACE AND HUNTING	No. Leaves in Pinion	Net Prices Per Dozen 924 925 926 927 934 935	936 937 940 941	938 939 942 943	944 946
103	18 size, nickel, Nos. 924–925, O. F. and Htg., 17 jewels,	...	.....	.....	.....	.....
104	Dust band, nickel, Open Face,	...	$1.50	$1.75	$1.75	$1.75
105	Dust band, nickel, Hunting,	...	1.50	1.75	1.75	1.75
106	Dial, double sunk, heavy Arabic. figures, O. F. or Htg.,	...	.....	30.00	30.00	30.00
107	Dial, double sunk, heavy Roman figures, O. F. or Htg.	....	.....	30.00	30.00	30.00
108	Dial, sunk second, heavy Roman figures, O. F. or Htg.,	...	18.00	.....	.....	.....
109	Dial, sunk second, fancy decorated, gold Arabic figures, O. F. or Htg.,	...	25.00	.....	.....	.....
110	Dial, sunk second, fancy decorated, black Roman figures, O. F. or Htg.,	...	22.00	.....	.....	.....
111	Hands, heavy spade, hour and minute,	...	.....	.75	.75	.75
112	Hands, Fleur de Lis, hour and minute,	...	.....	.75	.....	.....
113	Hands, crescent, hour and minute,	...	.75	.75	.....	.....
114	Hands, spade, hour and minute.	...	.60	.....	.....	.....
115	Hands, Louis XIV, gilt, hour and minute,	...	.75	.75	.75	.75
116	Hands, second, dart end,	...	.....	.20	.20	.20
117	Hands, second, ball end,	...	.20	.....	.....	.....
118	Hands, second, Louis XIV, gilt,	...	.25	.25	.25	.25
119	Centre pinion, head,	12	2.50	3.00	3.00	3.00
120	Cannon pinion,	11	2.50	3.50	3.50	3.50
121	Centre staff,	...	3.75	7.00	7.00	7.00
122	Third pinion,	10	3.00	3.50	4.00	4.00
123	Fourth pinion,	10	3.00	3.50	4.00	4.00
124	Escape pinion, conical pivots,	8	.....	5.00	5.00	5.00
125	Escape pinion, straight pivots,	8	3.00	4.00	4.00	4.00
126	Balance staff, double roller,	...	.....	5.00	5.00	5.00
127	Balance staff, single roller,	...	4.00	4.00	.....	.....
128	Pallet arbor, conical pivots,	...	.....	4.00	4.00	4.00
129	Pallet arbor, straight pivots,	...	1.50	2.50	2.50	2.50

SPECIAL NOTES

All 18 size Dials for Open Face or Hunting are interchangeable, and are also made in regular and light Roman and Arabic figures at same price as heavy figures. Extra charge is made for Society, Emblematic or Special lettered dials

WHEN ORDERING MATERIAL ALWAYS GIVE GRADE OF MOVEMENT AND CATALOGUE NUMBER OF PART WANTED.

No.	18 SIZE, NICKEL, FULL PLATE. LEVER SETTING OPEN FACE AND HUNTING	Net Prices Per Dozen 924 925 926 927 934 935	936 937 940 941	938 939 942 943	944 946
130	Jewels, barrel upper, ruby, raised gold setting,	.....	.....	.....	$15.00
131	" barrel upper, ruby, composition setting,	.....	.....	.....	10.00
132	" barrel lower, sapphire, gilt setting,	.....	.....	.....	10.00
133	" centre upper, ruby, gold setting,	.....	.....	$15.00	15.00
134	" centre upper, ruby, composition setting,	$8.00	$8.00	.....	8.00
135	" centre lower, sapphire, gilt setting,	9.00	9.00	10.00	10.00
136	" third upper, ruby, gold setting,	.....	.....	7.00	7.00
137	" third upper, ruby, composition setting,	4.00	4.00	.....	4.00
138	" third lower, ruby, gilt setting,	3.00	3.00	3.00	3.00
139	" third upper, garnet, composition setting,	2.00	.....	.....	.....
140	" third lower, garnet, gilt setting,	2.00	.....	.....	.....
141	" fourth upper, ruby, gold setting,	.....	.....	7.00	7.00
142	" fourth upper, ruby, composition setting,	4.00	4.00	.....	4.00
143	" fourth lower, ruby, gilt setting,	3.00	3.00	3.00	3.00
144	" fourth upper, garnet, composition setting,	2.00	.....	.....	.....
145	" fourth lower, garnet, gilt setting,	2.00	.....	.....	.....
146	" escape upper, hole, ruby, gold setting,	.....	.....	7.00	.....
147	" escape upper, hole, ruby, composition setting,	4.00	4.00	.....	4.00
148	" escape upper, hole, ruby, gilt setting,	.....	3.00	3.00	3.00
149	" escape lower, hole, ruby, gilt setting,	3.00	3.00	3.00	3.00
150	" escape upper, garnet, composition setting,	2.00	.....	.....	.....
151	" escape, lower, garnet, gilt setting,	2.00	.....	.....	.....
152	" pallet upper, hole, ruby, gold setting,	.....	.....	7.00	.....
153	" pallet upper, hole, ruby, composition setting,	4.00	4.00	.....	4.00
154	" pallet upper, hole, ruby, gilt setting,	.....	3.00	3.00	3.00
155	" pallet lower, hole, ruby, gilt setting,	3.00	3.00	3.00	3.00
156	" pallet upper, garnet, composition setting,	2.00	.....	.....	.....
157	" pallet lower, garnet, gilt setting,	2.00	.....	.....	.....
158	" cock hole, ruby, gilt setting,	3.00	3.00	3.00	3.00
159	" foot hole, ruby, gilt setting,	3.00	3.00	3.00	3.00
160	" escape endstone, ruby, upper, gold setting,	.....	.....	4.00	4.00
161	" escape endstone, ruby, upper, composition setting,	.....	1.50	.....	.....
162	" escape endstone, ruby, lower, gilt setting,	.....	1.50	1.50	1.50
163	" pallet endstone, ruby, upper, gold setting,	.....	.....	4.00	4.00
164	" pallet endstone, ruby, upper, composition setting,	.....	1.50	.....	.....
165	" pallet endstone, ruby, lower, gilt setting,	.....	1.50	1.50	1.50
166	" cock endstone, ruby, upper, gold setting,	.....	.....	4.00	4.00
167	" cock endstone, ruby, upper, composition setting,	1.25	1.50	.....	1.50
168	" foot endstone, ruby, lower, nickel setting,	.....	4.00	4.00	4.00
169	" foot endstone, ruby, lower, gilt setting,	1.25	1.50	.....	.....
170	" pallet jewel or pallet stone, sapphire, receiving,	.....	5.00	5.00	5.00
171	" pallet jewel or pallet stone, sapphire, discharging,	.....	5.00	5.00	5.00
172	" pallet jewel or pallet stone, garnet, receiving,	2.00	2.00	.....	.....
173	" pallet jewel or pallet stone, garnet, discharging,	2.00	2.00	.....	.....
174	" roller jewel or jewel pin, sapphire,	.....	2.00	2.00	2.00
175	" roller jewel or jewel pin, garnet,	.70	.70	.....	.....

NOTE.—WHEN ORDERING MATERIAL ALWAYS GIVE GRADE OF MOVEMENT AND CATALOGUE NUMBER OF PART WANTED.

No.	18 SIZE, NICKEL, FULL PLATE. LEVER SETTING. OPEN FACE AND HUNTING	Net Prices Per Dozen			Net Prices Per Gross		
		924 925 926 927	934 935 936 937 940 941 944	938 939 942 943 946	924 925 926 927	934 935 936 937 940 941 944	938 939 942 943 946
176	Screws, balance, gold	.....	.....	$1.00	.....	.....	$10.00
177	" balance, composition	$ .20	$ .50	.....	$2.00	$5.00	.....
178	" case, flat head, cornered	.....	.....	1.00	.....	.....	10.00
179	" case, flat head	.25	.....	.....	2.50	.....	.....
180	" case, bevel head	.35	.40	.....	3.50	4.00	.....
181	" pillar and barrel bridge, flat head, cornered	.....	.....	.75	.....	.....	7.50
182	" pillar and barrel bridge, flat head	.25	.....	.....	2.50	.....	.....
183	" pillar and barrel bridge, bevel head	.30	.40	.....	3.00	4.00	.....
184	" balance cock, flat head, cornered	.....	.....	.75	.....	.....	7.50
185	" balance cock, flat head	.25	.....	.....	2.50	.....	.....
186	" balance cock, bevel head	.30	.40	.....	3.00	4.00	.....
187	" pillar and balance cock, new style, flat head	.25	.....	.75	2.50	.....	7.50
188	" pillar and balance cock, new style, bevel head	.30	.40	.....	3.00	4.00	.....
189	" index, flat head, cornered	.....	.....	.80	.....	.....	8.00
190	" index, flat head	.15	.....	.....	1.50	.....	.....
191	" index, bevel head	.30	.30	.....	3.00	3.00	.....
192	" dial foot	.30	.30	.30	3.00	3.00	3.00
193	" banking	.30	.30	.30	3.00	3.00	3.00
194	" jewel, plate, flat head	.15	.....	.35	1.50	.....	3.50
195	" jewel, plate, bevel head	.30	.30	.....	3.00	3,00	.....
196	" jewel, barrel, upper	.....	.30	.35	.....	3.00	3.50
197	" jewel, barrel, lower	.....	.30	.30	.....	3.00	3.00
198	" jewel, cock, flat head	.15	.15	.35	1.50	1.50	3.50
199	" jewel, foot	.15	.30	.30	1.50	3.00	3.00
200	" winding hub	.25	.25	.25	2.50	2.50	2.50
201	" shipper	.25	.25	.25	2.50	2.50	2.50
202	" shipper spring	.25	.25	.25	2.50	2.50	2.50
203	" regulator spring, flat head	.25	.....	.35	2.50	.....	3.50
204	" regulator spring, bevel head	.30	.30	.....	3.00	3.00	.....
205	" click	.25	.25	.25	2.50	2.50	2.50
206	" click spring	.25	.25	.25	2.50	2.50	2.50
207	" front and back winding bridge	.25	.25	.25	2.50	2.50	2.50
208	" hair spring stud cap, flat head	.25	.....	.35	2.50	.....	3.50
209	" hair spring stud cap, bevel head	.30	.30	.....	.....	3.00	3.00
210	" yoke spring	.25	.25	.25	2.50	2.50	2.50
211	" regulator lever, flat head	.25	.....	.35	2.50	.....	3.50
212	" regulator lever, bevel head	.30	.30	.....	3.00	3.00	.....
213	" motor hub	.....	.30	.30	.....	3.00	3.00
214	" assorted	.....	.....	.....	1.00	1.50	2.00
215	Timing washers, assorted, 2 to 8 seconds	.....	.....	.....	.72	.72	.72
	Gilt steel screws, all kinds, *extra*	.08	.08	.08	.....	.....	.....

WHEN ORDERING MATERIAL ALWAYS GIVE GRADE OF MOVEMENT AND CATALOGUE NUMBER OF PART WANTED.

Hamilton Watch Company's Materials.

16 SIZE NICKEL, BRIDGE AND ¾ PLATE, LEVER AND PENDANT SETTING

OPEN FACE AND HUNTING

301

Nos. 960 and 961

302

Nos. 964 and 965

303

Nos. 968 and 969

304

Nos. 970 and 971

305

306

307

308

309

310

311

312

313



314



315

316

317

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334



335

336

337

338

339

342

345

16 SIZE, NICKEL, BRIDGE AND ¾ PLATE

LEVER AND PENDANT SETTING

OPEN FACE AND HUNTING

No.		No. Leaves in Pinions	No. of Teeth in Wheels	Net Prices per Dozen				
				972		970		960
				973	992	971	968	961
				974	993	990	969	964
				975		991		965
301	16s, Nck'l, bdge, 960–1, O. F. & Htg, Lev. & Pend. Set.	...	...	.....	.....	.....	.....	.....
302	16s, Nck'l, bdge., 964–5, O. F. & Htg., Pend., Set.,.	...	...	.....	.....	.....	.....	.....
303	16s, Nck'l, ¾ plate, 968–9, O. F. & Htg., Pend., Set.,.	...	...	.....	.....	.....	.....	.....
304	16s, Nck'l, ¾ plate, 970–1, O. F. Htg., Pend., Set.,	...	...	.....	.....	.....	.....	.....
305	Bal. Cock, Nck'l, with jewels bd'g Mv't, O. F. & Ht'g,	...	...	.....	.....	.....	.....	$30.00
306	Bal. Cock, Nck'l, with jewels ¾ P. Mv't, O. F. & Ht'g,	...	...	$15.00	$18.00	$24.00	$18.00	.....
307	Pallet Cock, Nickel, with jewels for 21 jewel grades,	...	...	.....	15.00	15.00	.....	15.00
308	Pallet Cock, Nickel, with jewels for 17 jewel grades,	...	...	9.00	.....	.....	9.00	9.00
309	Ratchet wheel for 960–961 grades,.....	...	66	.....	.....	.....	.....	9.00
310	Ratchet wheel for 990–970 grades,.....	...	66	.....	.....	7.50	.....	.....
311	Ratchet wheel for 992–972–964–968, grades,.....	...	66	6.00	6.00	.....	6.00	6.00
312	Ratchet wheel for 974 grade,..	...	66	5.00	.....	.....	.....	.....
213	Winding wheel, damaskeened,.....	...	$\frac{3}{4}\frac{3}{5}\frac{3}{6}$	.....	7.00	9.00	7.00	10.00
314	Winding wheel, plain,.....	...	$\frac{3}{4}\frac{3}{5}\frac{3}{6}$	5.00	.....	.....	.....	.....
315	Winding hub,.....	...	...	1.50	2.00	2.00	2.00	2.00
316	Ratchet cap,.....	...	...	1.50	1.50	1.50	1.50	1.50
317	Mainspring, ...	...	...	2.00	2.00	2.00	2.00	2.00
318	Mainspring, 974–975 grade,.....	...	...	1.50	.....	.....	.....	.....
319	Case stem, adjustable, O. F. and Htg.,.....	...	...	1.50	1.50	1.50	1.50	1.50
320	Winding arbor, pendant setting, 1st and 2nd series,.	...	...	6.00	.....	8.00	6.00	8.00
321	Winding arbor, lever setting,.....	...	...	6.00	8.00	.....	.....	8.00
322	Winding arbor, pendant setting, 3d series,.....	...	...	6.00	.....	8.00	.....	8.00
323	Push pin for pendant setting, 3d series,.....	...	...	1.00	.....	1.00	.....	1.00
324	Barrel arbor, ...	...	...	3.75	3.75	4.50	3.75	4.50
325	Clutch,.....	$\frac{15}{17}$	$\frac{15}{17}$	3.50	4.00	4.50	4.00	4.50
326	Winding pinion,.....	17	...	3.00	4.00	4.00	3.00	4.00
327	Winding bridge, hunting only,.....	...	...	2.50	3.00	3.00	3.00	3 00
328	Setting wheel bridge,.....	...	...	.75	1.00	1.00	1.00	1.00
329	Setting wheel,.....	...	15	2.00	2.00	2.00	2.00	2.00
330	Click, ...	...	...	2.00	2.00	2.50	2.00	2.50
331	Click spring, ...	...	...	.75	.75	1.00	.75	1.00
332	Hour wheel,.....	...	40	1.50	1.50	1.50	1.50	1.50
333	Minute wheel,.....	10	36	1.50	1.50	1.50	1.50	1.50
334	Barrel, ...	...	88	4.00	5.00	5.00	5.00	7.00
335	Barrel, with arbor fitted,.....	...	88	7.75	8.75	9.50	8.75	11.50
336	Centre wheel, gold, swedged arms,.....	...	80	.....	.....	.....	18.00	18.00
337	Centre wheel, gilt, swedged arms,.....	...	80	.....	6.00	6.00	6.00	.....
338	Centre wheel, gilt, flat arms,.....	...	80	2.50	.....	.....	.....	.....
339	Centre wheel, gold, swdgd. arms, with cen. staff fitted,	...	80	.....	.....	.....	25.00	25.00
340	Centre wheel, gilt, swdgd. arms, with cen. staff fitted,	...	80	.....	13.00	13.00	13.00	.....
341	Centre wheel, gilt, flat arms, with centre staff fitted,	...	80	7.50	.....	.....	.....	.....
342	Centre wheel, gold, swedged arms, with centre staff and centre pinion fitted,.....	14	80	.....	.....	.....	28.00	28.00
343	Centre wheel, gilt, swedged arms, with centre staff and centre pinion fitted,.....	14	80	.....	16.00	16.00	16.00	....
344	Centre wheel, gilt, flat arms, cen. staff, cen. pin. fitted,	14	80	10.00	.....	.....	.....	.....
345	Centre wheel, gold, swedged arms, with centre staff, centre pinion and cannon pinion, complete,...	$\frac{14}{12}$	80	.....	.....	.....	31.50	31.50
346	Centre wheel, gilt, swedged arms, with centre staff, centre pinion and cannon pinion, complete,...	$\frac{14}{12}$	80	.....	19.50	19.50	19.00	.....
347	Centre wheel, gilt, flat arms, with centre staff, centre pinion and cannon pinion, complete, ...	$\frac{14}{12}$	80	13.00	.....	.....	.....	.....

NOTE.—WHEN ORDERING MATERIAL ALWAYS GIVE GRADE OF MOVEMENT AND CATALOGUE NUMBER OF PART WANTED.

Hamilton Watch Company's Materials.

16 SIZE NICKEL, BRIDGE AND ¾ PLATE, LEVER AND PENDANT SETTING

OPEN FACE AND HUNTING

348

Nos. 992 and 993

349

Nos. 990 and 991

350

Nos. 972 and 973

351

Nos. 974 and 975

352

353

354

355

357

358

359

360

361

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

379

381

382

383

384

385

386

387

388

389

390

391

392

393

394

No.	16 SIZE, NICKEL, BRIDGE AND ¾ PLATE LEVER AND PENDANT SETTING OPEN FACE AND HUNTING	No. Leaves in Pinions	No. of Teeth in Wheels	Net Prices per Dozen				
				972		970		960
				973	992	971	968	961
				974	993	990	969	964
				975		991		965
348	16 size, nickel, ¾ plate, 992–993, Open Face and Hunting, lever setting,	...	...	.....	.....	.....	.....	.....
349	16 size, nickel, ¾ plate, 990–991, Open Face and Hunting, lever setting,	...	...	.....	.....	.....	.....	.....
350	16 size, nickel, ¾ plate, 972–973, Open Face and Hunting, lever and pendant setting,	...	...	.....	.....	.....	.....	.....
351	16 size, nickel, ¾ plate, 974–975, Open Face and Hunting, lever and pendant setting,	...	...	.....	.....	.....	.....	.....
352	Third wheel, gold, swedged arms,	...	75	.....	.....	.....	.....	$15.00
353	Third wheel, gilt, swedged arms,	...	75	.....	$3.00	$3.00	$3.00	3.00
354	Third wheel, gilt, flat arms,	...	75	$2.50	.....	.....	.....	.....
355	Third wheel, gold, swedged arms, third pinion fitted,	10	75	.....	.....	.....	.....	19.50
356	Third wheel, gilt, swedged arms, third pinion fitted,	10	75	.....	7.50	7.50	6.00	7.50
357	Third wheel, gilt, flat arms, third pinion fitted,	10	75	5.50	.....	.....	.....	.....
358	Fourth wheel, gold, swedged arms,	...	80	.....	.....	.....	.....	15.00
359	Fourth wheel, gilt, swedged arms,	...	80	.....	3.00	3.00	3.00	3.00
360	Fourth wheel, gilt, flat arms,	...	80	2.50	.....	.....	.....	.....
361	Fourth wheel, gold, swedged arms, 4th pinion fitted,	10	80	.....	.....	.....	.....	19.50
362	Fourth wheel, gilt, swedged arms, 4th pinion fitted,	10	80	.....	7.50	7.50	6.00	.....
363	Fourth wheel, gilt, flat arms, 4th pinion fitted,	10	80	5.50	.....	.....	.....	.....
364	Escape wheel, steel,	...	15	6.50	6.50	6.50	6.50	6.50
365	Escape wheel, gilt,	...	15	2.50	.....	.....	.....	.....
366	Escape wheel, steel, escape pinion fitted, conical pivots,	8	15	.....	12.00	12.00	.....	12.00
367	Escape wheel, steel, escape pin. fitted, straight pivots,	8	15	10.50	.....	.....	11.00	11.00
368	Escape wheel, gilt, escape pin. fitted, straight pivots,	8	15	5.50	.....	.....	.....	.....
369	Pallet, with pallet jewels fitted,	...	...	8.50	10.50	10.50	10.50	10.50
370	Fork, double roller,	...	...	.....	5.50	5.50	.....	5.50
371	Fork, single roller,	...	...	2.00	.....	.....	2.50	2.50
372	Pallet, fork and arbor, complete, 21 J., D.R.,	...	...	.....	20.50	20.50	.....	20.50
373	Pallet, fork and arbor, complete, 21 J., S.R.,	...	...	.....	19.50	.....	.....	.....
374	Pallet, fork and arbor, complete, 17 J., S.R.,	...	...	13.50	.....	.....	16.00	18.50
375	Pallet and fork, solid, with pallet jewels, fitted,	...	...	.....	16.00	16.00	.....	16.00
376	Pallet and fork, solid, with arbor, complete,	...	...	.....	20.50	20.50	.....	20.50
377	Balance, with gold screws,	...	...	.....	.....	27.00	.....	27.00
378	Balance, with composition screws,	...	...	12.00	21.00	.....	18.00	21.00
379	Balance, with gold screws and staff, fitted,	...	...	.....	.....	32.00	.....	32.00
380	Balance, with composition screws and staff, fitted,	...	...	16.00	26.00	.....	22.00	25.00
381	Regulator, for bridge movements, O. F. and Htg.,	...	...	.....	.....	.....	.....	9.00
382	Regulator, for ¾ P. movements, O. F. and Htg.,	...	...	3.50	3.50	9.00	5.00	.....
383	Regulator, spring, with screw,	...	...	3.00	3.00	5.00	5.00	5.00
384	Hair spring,	...	...	1.00	1.00	1.00	1.00	1.00
385	Hair spring, colleted,	...	...	1.50	1.50	1.50	1.50	1.50
386	Hair spring, Breguet, colleted and studded,	...	...	3.50	5.00	5.00	3.50	5.00
387	Hair spring collet,	...	...	.35	.50	.50	.50	.50
388	Hair spring stud cap,	...	...	.75	1.50	1.50	1.50	1.50
389	Hair spring stud,	...	...	1.00	1.00	1.00	1.00	1.00
390	Large double roller,	...	...	.....	3.50	3.50	.....	3.50
391	Small double roller,	...	...	.....	2.00	2.00	.....	2.00
392	Single roller,	...	...	1.50	1.50	.....	1.50	1.50
393	Large double roller, with jewel pin fitted,	...	...	.....	6.00	6.00	.....	6.00
394	Single roller, with jewel pin fitted,	...	...	2.50	2.50	.....	2.50	2.50

NOTE.—WHEN ORDERING MATERIAL ALWAYS GIVE GRADE OF MOVEMENT AND CATALOGUE NUMBER OF PART WANTED.

Hamilton Watch Company's Materials.

16 SIZE NICKEL, BRIDGE AND ¾ PLATE, LEVER AND PENDANT SETTING

OPEN FACE AND HUNTING

395



396

397

399



401

402

403

404

405

406

407

408

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442 

443

444

445

446

16 SIZE, NICKEL, BRIDGE AND ¾ PLATE

LEVER AND PENDANT SETTING

OPEN FACE AND HUNTING

No.		No. Leaves in Pinions	Net Prices per Dozen				
			972		970		960
			973	992	971	968	961
			974	993	990	969	964
			975		991		965
395	16s, Lower Plate, O.F. & Htg., Pend. Set, 2nd Series,...	...	.....	.....	.....	.....	.....
396	16s, Lower Plate, O. F. & Htg. Pend. Set, 3d Series,.....	...	.....	.....	.....	.....	.....
397	Dust band, Open Face, pendant setting,.....	...	$1.50	$1.75	$1.75	$1.75	$1.75
398	Dust band, Hunting, pendant setting,.....	...	1.50	1.75	1.75	1.75	1.75
399	Dust band, Open Face, lever setting,.....	...	1.50	1.75	1.75	1.75	1.75
400	Dust band, Hunting, lever setting,.....	...	1.50	1.75	1.75	1.75	1.75
401	Shipper, lever set movements,.....	...	1.50	1.50	3.00	.....	3.00
402	Lever, O.F. lug bev'ld under side, for 1st Sers. Pend. Set.	...	1.50	.....	.....	1.50	1.50
403	Lever, Htg. lug bev'ld upper side, for 1st Sers. Pend. Set.	...	1.50	.....	.....	1.50	1.50
404	Lever, Open Face, for second series, pendant setting,.....	...	1.50	.....	1.50	1.50	1.50
405	Lever, Hunting, for second series, pendant setting,.....	...	1.50	.....	1.50	1.50	1.50
406	Release stud for O. F. and Htg., 1st series, pendant set.,	...	1.50	.....	.....	1.50	1.50
407	Rel. Stud lock'g Screw, O.F. & Htg., 1st Sers. Pend. Set..	...	.75	.....	.....	.75	.75
408	Release stud, O. F., for second series, pendant setting,...	...	1.50	.....	1.50	1.50	1.50
409	Release stud, Hunting, for second series, pendant setting,	...	1.50	.....	1.50	1.50	1.50
410	Release stud nut, for second series, pendant setting, ...	...	.50	.....	.50	.50	.50
411	Lever Comp., Stud, & Nut, O. F., 2nd Sers., Pend. Set.	...	3.50	.....	3.50	3.50	3.50
412	Lever Complete, Stud & Nut, Htg., 2nd Sers., Pend. Set.	...	3.50	.....	3.50	3.50	3.50
413	Push pin lever, third series, pendant setting,.....	...	2.00	.....	2.00	.....	2.50
414	Clutch lever, third series, pendant setting, ...	...	2.00	.....	2.00	.....	2.50
415	Shop lever, third series, pendant setting,.....	...	1.50	.....	2.00	.....	2.00
416	Shipper spring, lever setting,.....	...	2.00	2.50	2.50	.....	2.50
417	Clutch spring, lever setting,.....	...	2.00	2.00	2.50	.....	2.50
418	Clutch spring, O. F., for second series, pendant setting,.	...	2.00	.....	2.50	2.00	2.50
419	Clutch spring, Htg., for second series, pendant setting,...	...	2.00	.....	2.50	2.00	2.50
420	Push pin lever spring, third series, pendant setting,.....	...	2.00	.....	2.50	.....	2.50
421	Clutch lever spring, third series, pendant setting,.....	...	2.00	.....	2.50	.....	2.50
422	Lever spring, O. F., for 1st and 2nd series, pendant setting,	...	2.00	.....	3.00	2.50	3.00
423	Lever spring, Htg., for 1st and 2nd series, pendant setting,	...	2.00	.....	3.00	2.50	3.00
424	Centre pinion head,.....	14	2.50	3.00	3.00	2.50	3.00
425	Cannon pinion, ...	12	3.00	3.50	3.50	3.50	3.50
426	Centre staff,.....	...	5.00	7.00	7.00	7.00	7.00
427	Third pinion,.....	10	3.00	4.50	4.50	3.00	4.50
428	Fourth pinion,.....	10	3.00	4.50	4.50	3.00	4.50
429	Escape pinion, conical pivots, ...	8	.....	5.00	5.00	.....	5.00
430	Escape pinion, straight pivots,.....	8	3.00	.....	.....	4.00	4.00
431	Pallet arbor, conical pivots,.....	...	.....	4.00	4.00	.....	4.00
432	Pallet arbor, conical pivots for solid pallet and fork,.....	...	.....	4.00	4.00	.....	4.00
433	Pallet arbor, straight pivots,.....	...	2.50	.....	.....	2.50	2.50
434	Balance staff, double roller,.....	...	.....	5.00	5.00	.....	5.00
435	Balance staff, single roller,.....	...	4.00	4.00	.....	4.00	4.00
436	Dials, heavy Arabic D. S., Open Face and Hunting,.....	...	.....	30.00	30.00	.....	30.00
437	Dials, Arabic, sunk second, Open Face and Hunting, ...	...	18.00	.....	.....	18.00	18.00
438	Dials, fancy decorated, black Arabic figures,.....	...	23.75	23.75	23.75	23.75	23.75
439	Hands, whipped spade, hour and minute, wine colored,.	...	.....	.....	.....	2.00	2.00
440	Hands, heavy spade, hour and minute,.....	...	.....	.75	.75	.....	.75
441	Hands, fine spade, hour and minute,.....	...	.55	.....	.....	.....	.....
442	Hands, moon, hour and minute,.....	...	.55	.....	.....	.....	.....
443	Hands, Louis XIV, gilt, hour and minute,.....	...	.75	.75	.75	.75	.75
444	Hands, second, wine colored,.....	...	.....	.....	.....	1.00	1.00
445	Hands, second, blue,.....	...	.20	.20	.20	.20	.....
446	Hands, second, Louis XIV, gilt,.....	...	.25	.25	.25	.25	.25

NOTE.—All 16 size Dials for Open Face or Hunting are interchangeable and are also made in heavy and light Roman figures at same price as Arabic. When ordering material always give grade of Movement and Catalogue number of part wanted.

No.	16 SIZE, NICKEL, BRIDGE AND ¾ PLATE LEVER AND PENDANT SETTING OPEN FACE AND HUNTING	Net Prices Per Dozen				
		972 973 974 975	992 993	970 971 990 991	968 969	960 961 964 965
447	Jewels, centre, upper, ruby, raised gold setting	.....	.....	$18.00	$18.00	$18.00
448	" centre, upper, ruby composition setting	$10.00	$15.00	.....	.....	.....
449	" centre, lower, sapphire, gilt setting	9.50	9.50	9.50	9.50	9.50
450	" third, upper, ruby, raised gold setting	.....	.....	.....	.....	12.00
451	" third, upper, ruby, gold setting	.....	.....	8.00	7.00	8.00
452	" third, upper. ruby, composition setting	4.00	4.00	.....	.....	.....
453	" third, lower, ruby, gilt setting	3.00	3.00	3.00	3.00	3.00
454	" fourth, upper, ruby, raised gold setting	.....	.....	.....	.....	12.00
455	" fourth, upper, ruby, gold setting	.....	.....	8.00	7.00	8.00
456	" fourth, upper, ruby, composition setting	4.00	4.00	.....	.....	.....
457	" fourth, lower, ruby, gilt setting	3.00	3.00	3.00	3.00	3.00
458	" escape, upper, ruby, gold setting	.....	.....	.....	7.00	8.00
459	" escape, upper, ruby, hole, gilt setting	.....	3.00	3.00	.....	3.00
460	" escape, upper, ruby, composition setting	4 00	.....	.....	.....	.....
461	" escape, lower, ruby, gilt setting	3.00	3.00	3.00	3.00	3.00
462	" pallet, upper, ruby not set	2.50	2.50	2.50	2.50	2.50
463	" pallet, upper, ruby, hole, gilt setting	3.00	3.00	3.00	3.00	3.00
464	" pallet, lower, ruby, gilt setting	3.00	3.00	3.00	3.00	3.00
465	" cock hole, ruby, gilt setting	3.00	3.00	3.00	3.00	3.00
466	" foot hole, ruby, gilt setting	3.00	3.00	3.00	3.00	3.00
467	" escape, upper endstone, ruby, gold setting	.....	.....	4.00	.....	4.00
468	" escape, upper endstone, ruby, composition setting	.....	1.50	.....	.....	.....
469	" escape, lower endstone, ruby, gilt setting	.....	1.50	1.50	.....	1.50
470	" pallet, upper endstone, ruby, gold cap setting	.....	7.00	7.00	.....	7.00
471	" pallet, lower endstone, ruby, gilt setting	.....	1.50	1.50	.....	1.50
472	" cock endstone, ruby, gold setting	.....	.....	4.00	4.00	4.00
473	" cock endstone, ruby, composition setting	1.50	1.50	.....	.....	.....
474	" foot endstone, ruby, gilt setting	1.50	1.50	1.50	1.50	1.50
475	" pallet jewel, or pallet stone, sapphire, receiving	.....	5.00	5.00	.....	5.00
476	" pallet jewel, or pallet stone, sapphire, discharging	.....	5.00	5.00	.....	5.00
477	" pallet jewel, or pallet stone, garnet, receiving	2.00	2.00	.....	2.00	.....
478	" pallet jewel, or pallet stone, garnet, discharging	2.00	2.00	.....	2.00	.....
479	" roller jewel, or jewel pin, sapphire	.....	2.00	2.00	.....	2.00
480	" roller jewel, or jewel pin, garnet	.70	.70	.....	.70	.....

No.	16 SIZE, NICKEL, BRIDGE AND ¾ PLATE, LEVER AND PENDANT SETTING, OPEN FACE AND HUNTING	Net Prices Per Dozen				Net Prices Per Gross			
		972 973 974 975	968 969 970 971 990 991 992 993	964 965	960 961	972 973 974 975	968 969 970 971 990 991 992 993	964 965	960 961
481	Screws, balance, gold,	.....	$1.00	.....	$1.00	.....	$10.00	.....	$10.00
482	" balance, composition,	$ .20	.50	$ .50	.....	$2.00	5.00	$5.00	.....
483	" case, flat head, cornered,	.....	.....	.....	1.00	.....	.....	.....	10.00
484	" case, flat head,	.....	.....	.40	.....	.....	.....	4.00	.....
485	" case, bevel head,	.40	.40	.....	.....	4.00	4.00	.....	.....
486	" bridge, flat head, cornered,	.....	.....	.....	.75	.....	.....	.....	7.50
487	" bridge, flat head,	.....	.....	.40	.....	.....	.....	4.00	.....
488	" bridge, bevel head,	.40	.40	.....	.....	4.00	4.00	.....	.....
489	" balance cock, flat head, cor.,	.....	.....	.....	.75	.....	.....	.....	7.50
490	" balance cock, flat head,	.....	.....	.40	.....	.....	.....	4.00	.....
491	" balance cock, bevel head,	.40	.40	.....	.....	4.00	4.00	.....	.....
492	" click, flat head,	.....	.....	.40	.40	.....	.....	4.00	4.00
493	" click, bevel head,	.35	.35	.....	.....	3.50	3.50	.....	.....
494	" dial foot,	.30	.30	.30	.30	3.00	3.00	3.00	3.00
495	" banking,	.30	.30	.30	.30	3.00	3.00	3.00	3.00
496	" jewel, centre, upper, flat, cor.	.....	.....	.....	.50	.....	.....	.....	5.00
497	" jewel, plate, up., champ. slots,	.....	.....	.....	.50	.....	.....	.....	5.00
498	" jewel, plate or bridge, bev. head,	.30	.30	.....	.....	3.00	3.00	.....	.....
499	" jewel, plate or bridge, flat head,	.....	.....	.25	.....	.....	.....	2.50	.....
500	" jewel, balance cock,	.30	.30	.25	.50	3.00	3.00	2.50	5.00
501	" jewel, foot jewel,	.30	.30	.30	.30	3.00	3.00	3.00	3.00
502	" pallet cap,	.....	.35	.....	.35	.....	3.50	.....	3.50
503	" ratchet hub, flat head,	.....	.....	.30	.30	.....	.....	3 00	3.00
504	" ratchet hub, bevel head,	.30	.30	.....	.....	3.00	3.00	.....	.....
505	" clutch spring, pendant set.,	.25	.25	.25	.25	2.50	2.50	2.50	2.50
506	" clutch spring, lever set.,	.25	.25	.....	.25	2.50	2.50	.....	2.50
507	" clutch lever, pendant set.,	.30	.30	.....	.30	3.00	3.00	.....	3.00
508	" clutch lever spring, pend. set.,	.30	.30	.....	.30	3.00	3.00	.....	3.00
509	" push pin lever, pendant set.,	.30	.30	.....	.30	3.00	3.00	.....	3.00
510	" push pin lev. spring, pend. set.	.30	.30	.....	.30	3.00	3.00	.....	3.00
511	" winding hub, flat head,	.....	.....	.30	.30	.....	.....	3.00	3.00
512	" winding hub, bevel head,	.30	.30	.....	.....	3.00	3.00	.....	.....
513	" pallet cock, flat head,	.30	.30	.30	.30	3.00	3.00	3.00	3.00
514	" regulator spring, flat head,	.....	.....	.35	.35	.....	.....	3.50	3.50
515	" regulator spring, bevel head,	.30	.30	.....	.....	3.00	3.00	.....	.....
516	" click spring,	.25	.25	.25	.25	2.50	2.50	2.50	2.50
517	" binding, pendant set	.20	.20	.20	.20	2.00	2.00	2.00	2.00
518	" regulator, micrometer,	1.00	1.00	1.00	1.00	10.00	10.00	10.00	10.00
519	" hair spring stud cap, flat head,	.....	.....	.35	.35	.....	.....	3.50	3.50
520	" hair spg. stud cap, bevel hd.,	.30	.30	.....	.....	3.00	3.00	.....	.....
521	" setting wheel bridge,	.25	.25	.25	.25	2.50	2.50	2.50	2.50
522	" lever spring, pendant set.,	.25	.25	.25	.25	2.50	2.50	2.50	2.50
523	" shipper, lever set.,	.25	.25	.25	.25	2.50	2.50	2.50	2.50
524	" shipper spring, lever set.,	.25	.25	.25	.25	2.50	2.50	2.50	2.50
525	" assorted,	.....	.....	.....	.....	1.00	1.50	1.50	2.00
	" gilt, steel, all kinds, *extra*,	.08	.08	.08	.08	.....	.....	.....	.....
526	" washers, bal., timing, asstd.,	.....	.....	.....	.....	.72	.72	.72	.72

WHEN ORDERING MATERIAL ALWAYS GIVE GRADE OF MOVEMENT AND CATALOGUE NUMBER OF PART WANTED.

NEW MOTOR BARREL MATERIALS

530

531

532 

533

230

231

232

233

234

235

236

237

238

239

240

241

534

535

536

537

538

540

542

543

544

545

546

547

548

549

550

551

NEW MATERIAL FOR

18 SIZE, NICKEL, FULL PLATE, MOTOR BARREL, DOUBLE ROLLER, LEVER SETTING, O. F. AND HTG.

16 SIZE, NICKEL, BRIDGE, MOTOR BARREL, DOUBLE ROLLER, PENDANT SETTING, OPEN FACE.

16 SIZE, NICKEL, ¾-P. PENDT. SETTING, HUNTING.

No.		No. of Teeth in Wheels	Net Prices per Dozen 18 Size 936 937 940 941 944	938 939 942 943 946	16 Size 971 973 975	950 952
530	Showing 16 size No. 950 in skeleton case,	...	.....	.....	.....	.....
531	16 size, Dial, double sunk, light arabic figures,	...	.....	.....	.....	$30.00
532	16 size, Dial, sunk second, fancy, black roman figures,	...	.....	.....	$22.00	22.00
533	16 size, Lower plate, pendant set, Hunting, 3d series,	...	.....	.....	.....	.....
216	18 size, Screws for motor ratchet bridge,	...	$ .25	$ .25	.....	.....
230	18 size, Barrel bridge, Motor barrel,	...	9.60	12.00	.....	.....
231	18 size, Ratchet bridge, Motor,	...	6.00	6.00	.....	.....
232	18 size, Mainspring, Motor barrel,	...	2.50	2.50	.....	.....
233	18 size, Barrel, Motor, Patent,	78	6.00	6.00	.....	.....
234	18 size, Barrel, Motor, Patent, with arbor and nut fitted,	78	20.00	20.00	.....	.....
235	18 size Barrel, Motor, Patent, complete with arbor, hub, nut and ratchet fitted,	...	27.00	30.00	.....	.....
236	18 size, Barrel arbor, Motor, Patent,	...	6.00	6.00	.....	.....
237	18 size, Hub for motor barrel, Patent,	...	6.00	6.00	.....	.....
238	18 size, Nut for motor barrel, Patent,	...	5.00	5.00	.....	.....
239	18 size, Ratchet wheel, Motor, Patent,	40	2.50	3.00	.....	.....
240	18 size, Front winding bridge, new style,	...	2.75	3.00	.....	.....
241	18 size, Back winding bridge, new style,	...	2.75	3.00	.....	.....
527	16 size, Setting wheel bridge screws, Hunting,	...	.....	.....	.25	.....
528	16 size, Barrel arbor jewel screws,	...	.....	.....	.....	.30
534	16 size, Mainspring for motor barrel,	...	.....	.....	.....	2.50
535	16 size, Barrel, Motor, Patent,	88	.....	.....	.....	6.00
536	16 size, Barrel, Motor, Patent, with arbor and nut fitted,	88	.....	.....	.....	20.00
537	16 size, Ratchet wheel, Motor, Patent,	66	.....	.....	.....	9.00
538	16 size, Ratchet wheel, Motor, Patent, with jewel,	66	.....	.....	.....	27.00
540	16 size, Ratchet wheel, Motor, Patent, with jewel and hub fitted	66	.....	.....	.....	33.00
542	16 size, Barrel arbor, Motor, Patent,	...	.....	.....	.....	6.00
543	16 size, Hub for motor barrel, Patent,	...	.....	.....	.....	6.00
544	16 size, Nut for motor barrel, Patent,	...	.....	.....	.....	5.00
545	16 size, Push pin lever, Hunting,	...	.....	.....	2.00	.....
546	16 size, Clutch lever, Hunting,	...	.....	.....	2.00	.....
547	16 size, Shop lever, Hunting,	...	.....	.....	1.50	.....
548	16 size, Push pin lever spring, Hunting,	...	.....	.....	2.00	.....
549	16 size, Clutch lever spring, Hunting,	...	.....	.....	2.00	.....
550	16 size, Setting wheel bridge, Hunting,	...	.....	.....	.75	.....
551	16 size, Stem bridge, Hunting,	...	.....	.....	2.50	.....
552	16 size, Barrel upper jewel, gold setting,	...	.....	.....	.....	18.00
554	16 size, Barrel lower jewel, gilt setting,	...	.....	.....	... ..	9.50

Hamilton Watch Company's Materials.

The following cuts show the advertising materials we furnish the trade free of charge, in addition to cuts of all movements, and signs, booklets and court plaster and card cases for R. R. inspection.

THE

Hamilton Watch

THE RAILROAD TIMEKEEPER OF AMERICA



CELLULOID CARD CASE 3¼" X 4½"
FOR R. R. INSPECTION





COURT PLASTER CASE, ACTUAL SIZE



LEATHER POCKET SAMPLE CASE, VELVET LINED, FOR 4 WATCHES



LEATHER SALESMAN SAMPLE CASE FOR 16 WATCHES



VELVET WINDOW DISPLAY TRAY



CUT OF CELLULOID COVERED BOOKLET 3" X 5"

WE ALSO HAVE LARGER ELECTROS 4x4" AND 3x4" AND CUTS SHOWING RAILROAD WATCHES